

Client [support@purasynth.com](mailto:support@purasynth.com)

Analyzed 04/08/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

**SAMPLE INFORMATION**



<b>Product</b>	Retatrutide	<b>Form</b>	Lyophilized powder
<b>Batch</b>	JA2026164	<b>Labeled Qty</b>	10mg
<b>Mol. Formula</b>	C221H342N46O68	<b>CAS Number</b>	2381089-83-2
<b>Cap Color</b>	Yellow	<b>Crimp Color</b>	Silver

**TEST RESULTS**

	REFERENCE STANDARD	RESULT
<b>Purity</b>	(>98%)	99.951% <input checked="" type="checkbox"/>
<b>Net Content</b>	(10mg ± 10%)	10.57 mg <input checked="" type="checkbox"/>
<b>Identity Confirmation (LC-MS)</b>	(Retatrutide)	Retatrutide <input checked="" type="checkbox"/>
<b>Endotoxin Safety Screen</b>	(≤0.5 EU/mL)	PASS <input checked="" type="checkbox"/>

**CHROMATOGRAM**

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



*David Cohen*  
 Lab Director


[koveralabs.com/verify](https://koveralabs.com/verify)

 Report#: KVR-2026-784D66  
 Access Code: UX3FMEV